

Product Quality Certificate

U-007418.001



Product : Jumpax® Basic

Holder : Unifloor Underlay Systems
Arnsbergstraat 24
NL 7418 EZ Deventer
The Netherlands

Impact sound reducing according to ISO 10140-3:2010

Product	Test results	Test results
Jumpax® Basic with BlueFloor and 2 mm Linoleum glued	10 ΔLlin	21 ΔLw
Jumpax® Basic with GreenFloor and 2 mm LVT glued	14 ΔLlin	26 ΔLw

Reference	Test date
TFI 462168-11	12-2016
Peutz A 2500-2-RA	03-2016

Fire rating classification according EN 13501:2007

Product	Test results
Jumpax® Basic	Efl-s1
Jumpax® Basic with 2 mm LVT	Efl-s1
Jumpax® Basic and Heat-Foil® with 2 mm LVT	Bfl-s1
Jumpax® Basic and Heat-Blok® with 2 mm LVT	Bfl-s1

Reference	Test date
TNO-T09.25024.5	02-2011
MPA-230008236-2	12-2011
TÜV-MT16-117021.18	02-2017
TÜV-MT16-117021.26	02-2017

Product Quality Certificate

U-007418.001



Thermal insulation according to NEN-EN-12667:2001

Product	Test results
Jumpax® Basic	0,05

Reference	Test date
Unifloor calculation	

Unifloor Underlay Systems B.V.

www.productquality.eu

Handwritten signature of Frank Vousten in black ink.

Frank Vousten
Product Manager

Handwritten signature of Gerco Morsink in black ink.

Gerco Morsink
CEO