

Product Quality Certificate

U-007418.008



Product : Jumpax® Top

Holder : Unifloor Underlay Systems
Arnsbergstraat 24
NL 7418 EZ Deventer
The Netherlands

Impact sound reducing according to ISO 10140-3:2010

Product	Test results	Test results
Jumpax® Top with Greenfloor® and 2 mm Linoleum glued	11 ΔL_{lin}	22 ΔL_w
Jumpax® Top with Heat-blok® and 2 mm LVT glued	10 ΔL_{lin}	21 ΔL_w

Reference	Test date
Peutz A 3085-1E-RA	03-2016
Peutz A 3085-1E-RA	03-2016

Fire rating classification according EN 13501:2007

Product	Test results
Jumpax® Top	Dfl-s1

Reference	Test date
TÜV 89210247.02	12-2016

Product Quality Certificate

U-007418.008



Thermal insulation according to NEN-EN-12667:2001

Product	Test results
Jumpax® Top	0,082

Reference	Test date
TÜV 89210247.17	02-2017

Unifloor Underlay Systems B.V.

A handwritten signature in black ink, appearing to read 'Frank Vousten'.

Frank Vousten
Product Manager

www.productquality.eu

A handwritten signature in black ink, appearing to read 'Gerco Morsink'.

Gerco Morsink
CEO