

Product Quality Certificate

U-007418.004



Product : Jumpax® HD

Holder : Unifloor Underlay Systems
Arnsbergstraat 24
NL 7418 EZ Deventer
The Netherlands

Impact sound reducing according to ISO 10140-3:2010

| Product | Test results | Test results |
|-------------------------------------|------------------|----------------|
| Jumpax® HD with 2 mm Linoleum glued | 10 Δ Llin | 21 Δ Lw |
| Jumpax® HD with 2 mm LVT glued | 10 Δ Llin | 21 Δ Lw |
| Jumpax® HD with 2,5 mm LVT glued | 12 Δ Llin | 22 Δ Lw |
| Jumpax® HD with 2,8 mm LVT glued | 14 Δ Llin | 25 Δ Lw |

| Reference | Test date |
|--------------------|-----------|
| Peutz A 3085-1E-RA | 03-2016 |
| SWA 143/164 | 05-2014 |
| SWA 143/162 | 05-2014 |
| SWA 143/160 | 05-2014 |

Fire rating classification according EN 13501:2007

| Product | Test results |
|----------------------------|--------------|
| Jumpax® HD | Dfl-s1 |
| Jumpax® HD with 2 mm LVT | Bfl-s1 |
| Jumpax® HD with 2,5 mm LVT | Bfl-s1 |

| Reference | Test date |
|-------------------|-----------|
| TÜV 89207157.01br | 12-2014 |
| TÜV 89210247.08 | 12-2016 |
| TÜV 89210247.09 | 12-2016 |

Product Quality Certificate

U-007418.004



Thermal insulation according to NEN-EN-12667:2001

| Product | Test results |
|------------|--------------|
| Jumpax® HD | 0,123 |
| | |

| Reference | Test date |
|-----------------|-----------|
| TÜV 89210247.18 | 02-2017 |
| | |

Unifloor Underlay Systems B.V.

A handwritten signature in black ink, appearing to read 'Frank Vousten'.

Frank Vousten
Product Manager

www.productquality.eu

A handwritten signature in black ink, appearing to read 'Gerco Morsink'.

Gerco Morsink
CEO